

Wedge Welder - miniwelder "tex2" - The expert for welding of thin membranes

The miniwelder tex2 is ideal for thin materials. Thanks to the welder's optimized wedge geometry, the miniwelder tex2 welds 0.1 to 1.0 mm membranes perfectly. With the help of its revolutionary control system, welding start-up is child's play. The welder is simple and intuitive to use. You will be convinced by the performance of the miniwelder tex2.

Hot-wedge welding machine

miniwelder tex2

- Lightweight (3.5 kg)
- Welding speed of up to 7.5 m per minute
- Revolutionary chainless drive technology
- Ideal for thin membranes
- Good performance at an affordable price

Australia: www.weldy.com.au New Zealand: www.weldy.co.nz



Technical data

roommour data		
Voltage	V~	230
Frequency	Hz	50 / 60
Max. power	W	800
Temperature	°C	60-480
Hot wedge material		Chromium steel
Welding nozzle width	mm	20
Max. overlap	mm	100
Speed	m/min	0.4 - 7.5
Dimensions (L \times W \times H)	mm	$228 \times 228 \times 170$
Weight	kg	3.5
Conformity marking		(€
Weldable materials		HD-PE, LD-PE, PVC , TPO, FPO: 0.1 – 1.0 mm

Delivery contents

Instruction manual, transport box, hex wrench, cleaning brush

Article no.

miniwelder tex2, 230 V / 800 W, with EU plug

154.883



Accessories



Hot wedge, 20 mm Chromium steel (for PVC) 156.668









Hot wedge, 20 mm copper Silicone drive roller, 22 x 50 mm, without test channel 156.818 (1 pair)





